8 8	S19 7	6 6	S19 5	S19 4	S19 3	S19 2	S19 1	S19	# Ref
ð	67	0	5710	0	7	2	43	96	Hits
((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodetecting or photodiodes or light-receiving or (light adj receiving)) with ((area or size or width) near2 (core or cores)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with ((area or size or width) near2 (core or cores)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodetecting or photodiodes or light-receiving or (light adjreceiving)) with ((area or size or width) near2 (core or cores)))	((385/49) or (385/88-94) or (398/FOR180) or (398/FOR186) or (398/202-214)).CCLS.	("2004/0076388").URPN.	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	Search Query
US-PGPUB	USPAT	USOCR	US-PGPUB; USPAT; USOCR	USPAT	EPO; JPO; DERWENT; IBM_TDB	USOCR	US-PGPUB	USPAT	DBs
Я	OR.	S	О х	웆	Я	웆	Я	Я	Default Operator
PH O	OFF	OFF	O开	OFF	OFF	OFF.	OFF	OFF F	Plurals
2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	Time Stamp

4 4 605	\$20 3	\$20 2	\$20 1	S20 0	S19 9
ស	ω	103	76	31	18
((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibres or fibres or fibres or core or cores))))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibers or fibre or fibres or core or cores))))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibers or fibre or fibres or core or cores))))	(S197 or S198) not S200	S195 and ((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiodes or light-receiving or (light adj receiving)) with ((area or size or width) near2 (core or cores)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiodes or light-receiving or (light adj receiving)) with ((area or size or width) near2 (core or cores)))
EPO; JPO; DERWENT; IBM_TDB	USOCR	US-PGPUB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB
Q	OR.	S	OR.	Q.	OR.
O	OFF	OF C	OFF	O	OFF
2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59

S21 5	S21 4	S21 3	S21 2	S21 1	S21	S20 9	S20 8	S20 7	S20	\$20 5
p	_	—	0	22	ω	1	21	57	2708	228
((plurality or multiple) near2 (photodiode or photodiodes or photodetector or photodetectors)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((plurality or multiple) near2 (photodiode or photodiodes or photodetector or photodetectors)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near4 (equal)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near4 (equal)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	("20020041731" "20020102084" "5278929" "5546212" "5552918" "5555334" "5566265" "5721426" "5997185" "6188495" "6243508" "6252725" "6353491" "6453091" "6454467").PN. OR ("6694074"). URPN.	((photodiode or photodiodes or photodetector or photodetectors) near4 (smaller or less)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	S208 and photodiode.ab.	S207 and fiber.ab.	S206 and plastic.ab.	nishimura.in. and optical.ab.	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibers or fibre or fibres or core or cores))))
US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	JPO; DERWENT	JPO; DERWENT	JPO; DERWENT	JPO; DERWENT	USPAT
OR	9	O _R	웃	Q.	유	OR.	웆	OR	Ş	Q _R
OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59

3/3/06 8:49:22 AM C:\Documents and Settings\MConnellycushwa\My Documents\EAST\Workspaces\10603078.wsp

\$22 \$22 6	\$22 \$22	S22 4	_	S22 3	S22 2	S22 1	S22 0	S21	S21 8	7 21	S21 6
4	H	0	H	21	57	2708	0	5710	0	ω	15
	((photodiode or photodiodes or photodetector or photodetectors) near4 (equal)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near4 (equal)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	S223 and photodiode.ab.	S222 and fiber.ab.	S221 and plastic.ab.	nishimura.in. and optical.ab.	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj	((385/49) or (385/88-94) or (398/FOR180) or (398/FOR186) or (398/202-214)):CCLS:	("2004/0076388").URPN.	((plurality or multiple) near2 (photodiode or photodiodes or photodetector or photodetectors)) with ((fiber or fibre or spot or core or end-face or endface or face) near2 (diameter or size or width or area or cross-section or cross-sectional))	((plurality or multiple) near2 (photodiode or photodiodes or photodetector or photodetectors)) with ((fiber or fibre or spot or core or end-face or endface or face) near2 (diameter or size or width or area or cross-section or cross-sectional))
EPO: JPO:	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	JPO; DERWENT	JPO; DERWENT	JPO; DERWENT	JPO; DERWENT	USOCR	US-PGPUB; USPAT; USOCR	USPAT	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR
Q R	OR	OR.	OR.	Я	Я	유	OR.	유	OR.	S	Q.
O F	OFF	OFF	OFF	OFF	OFF	유	OFF	OFF	OFF	Q.	OFF
2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59

Page 4

S23 7	S23 6	5 5	\$23 4	3 S23	\$23 2	\$23 1	S23 0	S22 9	S22 8
76	31	ä	40	67	7	2	43	96	L
(\$233 or \$234) not \$236	S219 and ((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiodes or light-receiving or (light adj receiving)) with ((area or size or width) near2 (core or cores)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiodes or light-receiving or (light adj receiving)) with ((area or size or width) near2 (core or cores)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	((plurality or multiple) near2 (photodiode or photodiodes or photodetector or photodetectors)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB	USPAT	EPO; JPO; DERWENT; IBM_TDB	USOCR	US-PGPUB	USPAT	US-PGPUB; USPAT; USOCR
QR.	Я	SR	OR .	Я	O _R	Q.	₽ P	유	QR.
OFF	OFF	OFF	OFF	077	OFF	OFF	OFF	OFF	OFF
2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59

S24	S24 4	S24 3	S24 2	1 224	S24 0	98	\$23 8
ω	12	œ	2	21	52	ω	103
((photodiode or photodiodes or photodetector or photodetectors) near2 (array or arrays or arrayed or arraying)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near2 (array or arrays or arrayed or arraying)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near2 (array or arrays or arrayed or arraying)) with (spot near2 size)	((photodiode or photodiodes or photodetector or photodetectors) near2 (array or arrays or arrayed or arraying)) with (spot near2 size)	S222 and fiber,ab.	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibers or fibre or fibres or core or cores))))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibers or fibre or fibres or core or cores))))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibers or fibre or fibres or core or cores))))
EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	JPO; DERWENT	EPO; JPO; DERWENT; IBM_TDB	USOCR	US-PGPUB
유	Q _R	웆	Q.	Я	Q _R	R	OR.
OFF	OFF	OT.	OFF	OFF	OFF	O T	OFF
2006/03/02:21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59

\$25 2	- 83	S25 0	S24 9	S24 8	S24 7	S24 6
3209	228	ω	15	22	3	10
(S229 or S230 or S231 or S232 or S218 or S219 or S220 or S233 or S234 or S235 or S236 or S237 or S238 or S239 or S240 or S251 or S221 or S222 or S223 or S224 or S242 or S243 or S244 or S245 or S246 or S247 or S248 or S225 or S226 or S227 or S228 or S249 or S250) and @pd>"20021605"	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibers or fibre or fibres or core or cores))))	((plurality or multiple) near2 (photodiode or photodiodes or photodetector or photodetectors)) with ((fiber or fibre or spot or core or end-face or endface or face) near2 (diameter or size or width or area or cross-section or cross-sectional))	((plurality or multiple) near2 (photodiode or photodiodes or photodetector or photodetectors)) with ((fiber or fibre or spot or core or end-face or endface or face) near2 (diameter or size or width or area or cross-section or cross-sectional))	("20020041731" "20020102084" "5278929" "5546212" "5552918" "5555334" "5566265" "5721426" "5997185" "6188495" "6243508" "6252725" "6353491" "6453091" "6454467").PN. OR ("6694074"). URPN.	((photodiode or photodiodes or photodetector or photodetectors) near4 (smaller or less)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near4 (smaller or less)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))
US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	USPAT	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR
OR .	9	ନ୍ନ	웆	OR .	유	O _R
OFF	OTT	OFF	OFF	OFF	OFF	OFF
2006/03/02 21:59	2006/03/02 21::59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59

8 8	\$25 7	6 S25	S25 5	4 4 223	\$25 3
ш	127	29	389	29	25
S257 and ((align or algned or aligning or aligns or alignment) near2 (fiber or fibers or fibre or fibres or light-guide or light-guides or (light adj guide) or (light adj guides) or waveguide or waveguides))	((photodetectors or photodetector or photodiode or photodiodes or detector or detectors) near2 (array or arrays)) with (single near2 substrate)	S255 and (((size or area or radius or diameter or region or length or width) near2:(less or smaller)) with (fiber or fibers or fibre or fibres))	((photodetectors or photodetector or light-receiver or light-receivers or receiver or receivers or receiving or detector or detectors or photodiode or photodiodes) near2 (array or arrays or arrayed or arraying)) same ((pixel or photodetector or photodiode or detector or light-receiver or receiver or receiver or receiving) with ((size or area or radius or diameter or region or length or width) near2 (less or smaller)))	(((photodetectors or photodetector or light-receiver or light-receivers or receiver or receivers or receiving or sensitive or detector or detectors) near2 (cell or cells or area or areas or region or regions or pixel or pixels)) with ((smaller or less) near2 (fiber or fibers or fibre or fibres)))	S252 and ((photodetectors or photodetector or light-receiver or light-receivers or receiver or receivers or receiving or sensitive) with ((smaller or less) near2 (fiber or fibers or fibre or fibres)))
US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
Я	Q.	웆	Я Я	Я	R
OH	OFF	OFF	OFF	OH H	OFF
2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59

S26 5	S26 4	\$26 3	N 526	\$26 1	0 0	9 9
2	0	422		H	1330	39
10/855,958	("2004/0076388");URPN:	(photodetectors or photodetector or photodiode or photodiodes or detector or detectors) same (((area or region or surface or diameter or radius or dimensions) near2 (smaller or less)) with (fiber or fibers or fibre or fibres or light-guide or light-guides or (light adj guide) or (light adj guides) or waveguide or waveguides))	((photodetectors or photodetector or photodiode or photodiodes or detector or detectors) with ((area or region or surface or diameter or radius or dimensions) near2 (smaller or less))) same ((align or aligned or aligning or aligns or alignment) near2 (fiber or fibers or fibre or fibres or light-guide or light-guides or (light adj guide) or (light adj guides) or waveguide or waveguides))	((photodetectors or photodetector or photodiode or photodiodes or detector or detectors) with ((area or region or surface or diameter or radius) near2 (smaller or less))) same ((align or algned or aligning or aligns or alignment) near2 (fiber or fibers or fibre or fibres or light-guide or light-guides or (light adj guides) or waveguide or waveguides))	(photodetectors or photodetector or photodiode or photodiodes or detector or detectors) same ((align or algned or aligning or aligns or alignment) near2 (fiber or fibre or fibres or fibres or light-guide or light-guides or (light adj guides) or waveguide or waveguides))	S257 and (fiber or fibers or fibre or fibres or light-guides or (light adj guide) or (light adj guides) or waveguide or waveguides)
US-PGPUB; USPAT	USPAT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
Я Я	욹	O _R	Я	OR.	S	OR.
OFF	OFF	OFF	9	OFF	OFF	OFF
2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59

S27 4	S27 3	S27 2	S27 1	S27 0	9 9	S26 8	7 S26	S26 6
0	L	J	2	74	108	183	897	6
S272 and (plastic)	S272 and (fiber or fibre or fibers or fibres)	("5189296").PN.	(("5714773") or ("4366377")).PN.	S269 and (optical or optic or light)	(((fiber or fibers or fibres) near2 (conventional or known)) with plastic) same (diameter or diameters or radius or radii)	(((photodetectors or photodetector or photodiode or photodiodes or detector or detectors) near2 (number or plurality or multiple or array or arrayed or arraying or arrays)) with (resolution)) same (fiber or fibers or fibre or fibres or light-guide or light-guides or (light adj guide) or (light adj guides) or waveguide or waveguides)	((photodetectors or photodetector or photodiode or photodiodes or detector or detectors) with (resolution)) same (fiber or fibers or fibre or fibres or light-guide or light-guides or (light adj guide) or (light adj guides) or waveguides)	("4544840").PN. OR ("4936681").URPN.
USPAT	USPAT	USPAT	USPAT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR
Ş	Я	QR R	Ş	O _R	Ş	O _R	웃	OR.
OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59

S28 4	S28 3	S28 2	\$28 1	S28 0	S27 9	S27 8	S27	S27	S27 5
10	ω	12	8	2	0	_	L	0	0
((photodiode or photodiodes or photodetector or photodetectors) near4 (smaller or less)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near2 (array or arrays or arrayed or arraying)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near2 (array or arrays or arrayed or arraying)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near2 (array or arrays or arrayed or arraying)) with (spot near2 size)	((photodiode:or photodiodes or photodetector or photodetectors) near2 (array:or arrays:or arrayed:or:arraying)) with (spot near2:size)	S272 and (asymmetric or asymmetrical)	S272 and (photodiode)	S272 and (electrical)	S272 and (electrically)	S272 and (isolated)
US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	USPAT	USPAT	USPAT	USPAT	USPAT
OR	OR	유	Q _R	Я	R	Ŗ	Я	Я	Я Я
OFF	OFF .	OFF	OFF	OT	OFF	OFF	OFF	0 FF	OFF
2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59

	· · · <u></u>							v	S28
				•					
									125
S280 or S281 or S282 or S283 or S284) and @ad<"20020625" and @pd>"20050727"	S262 or S263 or S264 or S265 or S266 or S267 or S268 or S269 or S270 or S271 or S272 or S273 or S274 or S275 or S276 or S277 or S278 or S279 or	S253 or S254 or S255 or S256 or S257 or S258 or S259 or S260 or S261 or	S244 or S245 or S246 or S247 or S248 or S249 or S250 or S251 or S252 or	S235 or S236 or S237 or S238 or S239 or S240 or S241 or S242 or S243 or	S226 or S227 or S228 or S229 or S230 or S231 or S232 or S233 or S234 or	S217 or S218 or S219 or S220 or S221 or S222 or S223 or S224 or S225 or	S208 or S209 or S210 or S211 or S212 or S213 or S214 or S215 or S216 or	S199 or S200 or S201 or S202 or S203 or S204 or S205 or S206 or S207 or	(S190 or S191 or S192 or S193 or S194 or S195 or S196 or S197 or S198 or
				IBM_TDB	DERWENT;	EPO; JPO;	USOCR;	USPAT;	US-PGPUB;
									ᄋᄼ
									유
									2006/03/03 08:37

3/3/06 8:57:56 AM C:\Documents and Settings\MConnellycushwa\My Documents\EAST\Workspaces\10603078.wsp

OFF 2006/03/03 08:57	Q _R	USPAT	("2004/00/6388").URPN.	C	5
				•	`
		יסי			
		702			
		1			
÷		::			
		ַב ב			
÷					
		2	Glanne) io m.		
-			<u> </u>		
		C/C/A	detector).ciiii. aiid (seiilicoliduct\$3).ciiii. aiid (waveleiigth or frequency or		• • •
		; 1	detector) clm and (comiconductes) clm and (comiconductes)		
ON 2006/03/03 08:57	유	US-PGPUB; OR	(plastic near2 (fiber or fibre)).clm. and (photodetector or photodiode or	7	5
	Operator				#
Plurals Time Stamp	Default	DBs	Hits Search Query	Hits	Ref